PRODUCT INFORMATION

Height

Width

Depth

Description 12V DOT/ECE Reflector Headlight with

Chrome Inner Bezel 145.00 mm / 5.71 in 145.00 mm / 5.71 in 98.50 mm / 3.88 in

Shape Round

Outer Lens Material Polycarbonate

Outer Lens ColorClearHousing MaterialAluminumHousing ColorBlackBezel ColorChrome

Retrofits Bucket 5.75" Round Headlights (PAR46)

Connector or Wiring H4

Mating ConnectorH4 AMP#172515-2Product Weight1.49 lbs / 0.68 kgsShipping Weight2.45 lbs / 1.11 kgs


Additional Information Includes H-4 connector with 4th front


position wire for ECE compliance.







PRODUCT DIMENSIONS









ELECTRICAL SPECIFICATIONS

Input Voltage 12V DC
Operating Voltage 9-16V DC
Black Wire Ground
White Wire High Beam
Yellow Wire Low Beam
Red Wire Front Position

Current Draw 2.67A @ 12V DC (High Beam)

1.67A @ 12V DC (Low Beam) 0.13A @ 12V DC (Front Position)

REGULATORY STANDARDS COMPLIANCE













Buy America Standards ECE Reg 113 ECE Reg 50 Eco Friendly FMVSS 108 s10.1 (Table XX) IEC IP67

SAE J584 Tested to ECE Reg. 10 (Radiated Emissions only)

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 1,620 (High Beam); 925 (Low Beam) **Effective Lumen** 850 (High Beam); 500 (Low Beam)

Output

41,000 (High Beam); 12,110 (Low **Candela Output**

Beam)

Nominal LED Color Temperature

5000 K


Beam Pattern(s) Forward Lighting - High Beam

(DOT/ECE)

Forward Lighting - Low Beam

(DOT/ECE)

Signalization - Front Position



APPLICATIONS





PRODUCT WARNINGS

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

▲ AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.



RELATED PRODUCTS



Part Number 0555931 12V DOT/ECE Reflector Headlight with Dark Chrome Inner Bezel